

Product datasheet

Specifications



APC Easy UPS On-Line SRV Battery Pack for 6/10kVA Extended runtime model, 240V

SRV240BP-9A

Overview

Lead Time	Usually in Stock
-----------	------------------

Main

Battery Type	Lead-acid battery
Provided Equipment	User manual Battery cable

Batteries & Runtime

Number Of Battery Blocks Per String	20
Device Mounting	Floor mounted
Number Of Battery Filled Slots	0
Number Of Battery Free Slots	0
Battery Voltage	240 V

Physical

Colour	Black
Height	36.8 cm
Width	19 cm
Depth	48.5 cm
Net Weight	60 kg
Mounting Mode	Not rack-mountable
Usb Compatible	No

Conformance

Product Certifications	CE UKCA EAC EN/IEC 62040-1
------------------------	-------------------------------------

Environmental

Ambient Air Temperature For Operation	0...40 °C
Relative Humidity	0...95 % non-condensing
Operating Altitude	0...3000 m
Ambient Air Temperature For Storage	-15...40 °C

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Storage Relative Humidity	0...95 % non-condensing
Storage Altitude	0...15000 m

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	46 cm
Package 1 Width	57 cm
Package 1 Length	29 cm
Package 1 Weight	63 kg

Contractual warranty

Warranty	2 years repair or replace
----------	---------------------------

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

[Learn more >](#)



Take-back

Resource performance

 Take-Back Program Available

Reach Regulation

[REACH Declaration](#)

Eu Rohs Directive

Compliant

[EU RoHS Declaration](#)