

APC Easy UPS On-Line SRV Battery Pack (6/10kVA) for Extended Runtime Model 240V, 2160VAh, rackmount with kit, 3U

SRV240RLBP-9A

Overview

Lead Time Usually in Stock

Main

Number Of Rack Unit **Battery Type** Lead-acid battery **Provided Equipment** User manual Battery cable Rack mounting brackets

Batteries & Runtime

Number Of Battery Blocks Per String	20
Device Mounting	Rack mount
Number Of Battery Filled Slots	0
Number Of Battery Free Slots	0
Battery Voltage	240 V

Physical

Colour	Black
Height	13.3 cm
Width	43.8 cm
Depth	60.6 cm
Net Weight	63 kg
Mounting Mode	Rack-mounted with kit
Usb Compatible	No

Conformance

Product Certifications UKCA FAC EN/IEC 62040-1

Environmental

Ambient Air Temperature For Operation	040 °C
Relative Humidity	095 % non-condensing

Operating Altitude	03000 m
Ambient Air Temperature For Storage	-1540 °C
Storage Relative Humidity	095 % non-condensing
Storage Altitude	015000 m

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	25 cm
Package 1 Width	87 cm
Package 1 Length	58 cm
Package 1 Weight	70 kg

Contractual warranty

Warranty 2 years repair or replace

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Learn more >



Take-back


Resource performance



Take-Back Program Available

Well-being performance





·

Reach Regulation	REACh Declaration

Eu Rohs Directive Compliant

EU RoHS Declaration

China Rohs Regulation China Rohs declaration