

Product datasheet

Specifications



APC Essential SurgeArrest 1 Outlet Black 230V Germany

PME1WB-GR

Overview

Lead Time Usually in Stock

Main

Main Input Voltage 220 V
230 V
240 V

Input Connection Type Schuko CEE 7/7P

Provided Equipment User manual

Physical

Colour Black

Height 9.32 cm

Width 6.31 cm

Depth 4 cm

Net Weight 0.05 kg

Mounting Preference No preference

Mounting Mode Not rack-mountable

Input

Input Power 4000 W

Network Frequency 50/60 Hz

Maximum Input Current 16 A

Output

Number Of Power Socket Outlets 1

Outlet Standard Schuko CEE 7

Conformance

Product Certifications CE

Marking CE Mark

Environmental

Ambient Air Temperature For Operation 0...40 °C

Relative Humidity 0...95 %

Operating Altitude	0...10000 ft
Ambient Air Temperature For Storage	-15...45 °C
Storage Relative Humidity	0...95 %
Storage Altitude	0.00...15240.00 m

Surge Protection and Filtering

Response Time	1 ns common mode
Common Mode Rejection	45 dB
Peak Current	15 kA normal mode
Surge Energy Rate	680 J

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	10 cm
Package 1 Width	9 cm
Package 1 Length	6.8 cm
Package 1 Weight	0.07 kg
Unit Type Of Package 2	BB1
Number Of Units In Package 2	12
Package 2 Height	14 cm
Package 2 Width	29 cm
Package 2 Length	29 cm
Package 2 Weight	2.05 kg
Scc14	10731304346965

Contractual warranty

Warranty	20 years repair or replace
----------	----------------------------

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

[Learn more about Green Premium >](#)



Transparency RoHS/REACH

Well-being performance

Reach Free Of Svhc

Mercury Free

Rohs Exemption Information [Yes](#)

Certifications & Standards

Reach Regulation [REACH Declaration](#)

Eu Rohs Directive [Compliant with Exemptions](#)

Environmental Disclosure [Product Environmental Profile](#)

Circularity Profile [End of Life Information](#)
