Product datasheet

Specifications





APC Essential SurgeArrest 5 Outlet 2 USB Ports Black 230V Germany

PME5U2B-GR

Overview

Lead Time Usually in Stock

Main

mani	
Main Input Voltage	220 V
	230 V
	240 V
Input Connection Type	Schuko CEE 7/7P
Cable Length	1.52 m
Number Of Cables	1
Provided Equipment	Hear manual

Physical

Colour	Black
Height	4 cm
Width	33.5 cm
Depth	6.3 cm
Net Weight	0.5 kg
Mounting Preference	No preference
Mounting Mode	Not rack-mountable

Input

Input Power	2300 W
Network Frequency	50/60 Hz
Switching Current Capacity	10 A

Output

Number Of Power Socket Outlets	5
Outlet Standard	Schuko CEE 7

Conformance

Product Certifications	CE
Marking	CE Mark

Environmental



Ambient Air Temperature For Operation	040 °C
Relative Humidity	095 %
Operating Altitude	010000 ft
Ambient Air Temperature For Storage	-1545 °C
Storage Relative Humidity	095 %
Storage Altitude	0.0015240.00 m

Surge Protection and Filtering

Response Time	1 ns common mode
Common Mode Rejection	45 dB
Peak Current	15 kAnormal mode
Surge Energy Rate	680 J

Packing Units

•	
Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	5 cm
Package 1 Width	12 cm
Package 1 Length	36.5 cm
Package 1 Weight	607 g
Unit Type Of Package 2	BB1
Number Of Units In Package 2	12
Package 2 Height	27.5 cm
Package 2 Width	30 cm
Package 2 Length	39 cm
Package 2 Weight	7.84 kg
Scc14	10731304347054

Contractual warranty

Warranty 20 years repair or replace



Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Learn more about Green Premium >





Transparency RoHS/REACh

Well-being performance

	Reach Free Of Svhc	
⊘	Mercury Free	
②	Rohs Exemption Information	Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant with Exemptions
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End of Life Information