

Product datasheet

Specifications



APC Performance SurgeArrest 6 outlets with 5V, 2.4A 2 port USB charger, 230V Germany

PM6U-GR

⚠ To be discontinued on: Apr 30, 2024

⚠ Discontinued

Overview

Lead Time Usually in Stock

Main

Main Input Voltage	230 V
Input Connection Type	Schuko CEE 7/7P
Cable Length	2.00 m
Number Of Cables	1
Provided Equipment	User manual

Physical

Colour	White
Height	6.2 cm
Width	27.2 cm
Depth	11 cm
Net Weight	0.75 kg
Mounting Preference	No preference
Mounting Mode	Rack-mounted

Input

Input Power	2300 W
Network Frequency	50 Hz
Maximum Input Current	10 A
Switching Current Capacity	10 A

Output

Number Of Power Socket Outlets	6
Outlet Standard	Schuko CEE 7

Conformance

Product Certifications	CE
Equipment Protection Policy	Lifetime : 50000 euros

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Environmental

Ambient Air Temperature For Operation	0...40 °C
Relative Humidity	0...95 % non-condensing
Operating Altitude	0...50000 ft
Ambient Air Temperature For Storage	-15...45 °C
Storage Relative Humidity	0...95 %
Storage Altitude	0.00...15240.00 m

Surge Protection and Filtering

Response Time	1 ns common mode
Common Mode Rejection	40 dB
Peak Current	48 kA common mode
Surge Energy Rate	1836 J

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	14.800 cm
Package 1 Width	14.800 cm
Package 1 Length	39.700 cm
Package 1 Weight	887.000 g
Unit Type Of Package 2	S03
Number Of Units In Package 2	5
Package 2 Height	30.000 cm
Package 2 Width	30.000 cm
Package 2 Length	40.000 cm
Package 2 Weight	4.855 kg
Unit Type Of Package 3	P12
Number Of Units In Package 3	40
Package 3 Height	45.000 cm
Package 3 Width	80.000 cm
Package 3 Length	120.000 cm
Package 3 Weight	50.840 kg
Scs14	10731304313721

Contractual warranty

Warranty	Limited Lifetime (European Union countries only)
----------	--

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

[Learn more about Green Premium >](#)



Transparency RoHS/REACH

Well-being performance

Reach Free Of Svhc

Mercury Free

Rohs Exemption Information [Yes](#)

Certifications & Standards

Reach Regulation [REACH Declaration](#)

Eu Rohs Directive Compliant with Exemptions

Environmental Disclosure [Product Environmental Profile](#)

Weee The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins

Circularity Profile [End of Life Information](#)