

# APC Smart-UPS RT Battery Pack 192V, rackmount, 4U

SRTG192XLBP2

#### **Overview**

Lead time Usually Ships within 2 Weeks

#### Main

Product or component type	Battery
Number of rack unit	4U
Battery type	Lead-acid battery
Provided equipment	Installation guide Warranty card
Range of product	Smart-UPS Battery Systems

### **Batteries & Runtime**

Device mounting	Stand alone battery stack Rack mount
Number of battery filled slots	4
Number of battery free slots	0
Number of battery replacement quantity	2
Battery voltage	192 V
Replacement battery	APCRBC172 ☐

## **Physical**

Colour	Black
Height	17.5 cm
Width	44 cm
Depth	70.0 cm
Net weight	116 kg
mounting mode	Rack-mounted
USB compatible	No

#### **Environmental**

Ambient air temperature for operation	040 °C
Relative humidity	095 % non-condensing
Operating altitude	06600 ft
Storage Relative Humidity	095 % non-condensing

## **Packing Units**

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	295 mm
Package 1 Width	790 mm
Package 1 Length	590 mm
Package 1 Weight	122.4 kg

# **Contractual warranty**

Warranty 2 years



**Green Premium**<sup>TM</sup> **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

Learn more about Green Premium >





Transparency RoHS/REACh

## Well-being performance

✓ Toxic Heavy Metal Free
 ✓ Mercury Free
 ✓ Rohs Exemption Information

#### **Certifications & Standards**

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant EU RoHS Declaration
China Rohs Regulation	China RoHS declaration  Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins
Circularity Profile	End of Life Information

Image of product / Alternate images

**Alternative** 







